

MFE600 Intelligent Electromagnetic Flowmeter

Introduction

MFE600 Intelligent Electromagnetic Flowmeter is designed and manufactured with the most advanced domestic and abroad technology, featuring high accuracy, reliability, good stability and long service life.

We pay our attention to every detail in the process of the product structure design, material selection, manufacturing, assembly and factory testing etc. With a water tower up to 35m as pressure stabilizer for actual flow calibration, we have a professional production line for electromagnetic flowmeter, also we design and develop a series of software and hardware for electromagnetic flowmeter for mass production to ensure high quality in long term use. The product has backlight and wide temperature-ranged Chinese/English LCD display. With fully practical function, visual display, easy operation, it saves troubles for on-site installation



operation and maintenance. MFE600 can be widely used in industrial fields such as petroleum, chemical, metallurgy, water supply and drainage, steel, coal, paper, food, textile, environmental protection and other municipal administration, water conservancy construction field etc.

Working Principle

The working principle of Electromagnetic Flowmeter is based on Faraday's Law of Electromagnetic Induction, that is, when the conductive liquid flows through the electromagnetic flowmeter, the induced electromotive force will be produced in the liquid conductor, and the induced electromotive force is directly proportional to the velocity of conductive liquid, magnetic flux density and width of conductor (interior diameter of flowmeter).


Such induced electromotive force is detected by a pair of electrodes on the tube wall of the flowmeter, and the rate of flow can be acquired by mathematical operation. The equation of induced electromotive force is as follows:

 $E = K \times B \times V \times D$

E: Induced electromotive force K: Instrument Constant

B: Magnetic flux density

V: Velocity D: Interior diameter of measuring pipe



Interior Diameter of Measuring Pipe



The following conditions should be satisfied in order to obtain satisfactory measuring accuracy:

- 1. The measured liquid shall posses the electrical conductivity;
- 2. The pipe shall be full of liquid;
- 3. The components of liquid shall be well mixed;
- 4. If the liquid has magnetic permeability, the magnetic field of the flowmeter will change, so the flowmeter shall be modified.

During measurement, when the fluid flows through the magnetic field perpendicularly to the flow direction, the flow of the conductive liquid induces an electric potential proportional to the average velocity, thus requiring the conductivity of the flowing liquid measured is higher than the minimum conductivity. The induced voltage signal is detected by the two electrodes. And it is transmitted through the cable to the converter, after signal processing and related operations, integrated flux and instantaneous flux will be displayed on the display screen of the converter.

Features

- 1. The electromagnetic flowmeter is an instrument for volume flux measurement. The flux measurement will not be influenced by the fluid density, viscosity, temperature, pressure and electrical conductivity changes. There is a linear relationship between the inducing voltage signal of sensor and the average velocity. Its accuracy is high.
- 2. Due to the unimpeded flow and no moving parts, it will not cause additional energy loss or jam. Therefore it is remarkable for energy saving, especially it is suitable for measurement of liquid-solid two-phase fluids such as sewage, slurry, pulp, coal slurry, pulp etc.
- 3. The electromagnetic flowmeter has no mechanical inertia. With good sensitivity, it can measure the transient pulsating flux, and has good linearity.
- 4.It has low requirements for installation. Short straight pipe is needed, generally 5D in front of the flowmeter, 3D behind it (D is the interior diameter of the selected instrument).
- 5. Only the lining and electrodes contact with the media, as long as the selection of electrode and lining materials is proper, they can be corrosion resistance and abrasive resistance, and are able to ensure long-term use.
 - 6. When power supply is off suddenly, EEPROM can protect parameter setting and cumulative values.
- 7. The converter uses a low-power consumption single-chip for processing data. And it uses SMD electronic components and SMT surface mounting technology to ensure reliable performance, high accuracy, low power consumption and zero stability. With Chinese dot matrix LCD display, it can display the integrated flux, transient flux, velocity, flow percentage and other parameters.
- 8.Multi-electrode structure ensures high accuracy. With the grounding electrode, it doesn't need grounding ring, therefore saves the cost.
- 9. The low-frequency rectangle wave excitation improves the flux stability. It has low power consumption and good low flow characteristics.
 - 10.Bidirectional measurement system can be used for measuring forward flux and reverse flux.

MICRO SENSOR CO.,LTD.



Performance

Electromagnetic Flowmeter Converter Components:

Input signal: signal emitted from the sensor directly proportional to the flow.

Output signal: $4\text{mA} \sim 20\text{mA}$ DC (load resistance $0\Omega \sim 750\Omega$).

Select pulse / alarm output by parameter setup

Pulse output: (pulled up resistor already)

4mA ~ 20mA DC Output: Current output is active output.

Alarm output: rated value 30V DC, 100mA

Communication signal: RS485 communication protocol (optional);

RS232 communication protocol (optional)

Load Resistance: $250\Omega \sim 600\Omega$ (including cable resistance)

Load Capacitance: 0.22µF (Max)

Load inductance: 3.3mH (Max)

Space between split cables: ≤100m

Input impedance of receiving instrument: $\geq 10 \text{k}\Omega$ (@ 2.4kHz)

Measurement Range setting:

The volumetric flux is set by the setup of volume unit, flux value and diameter of flowmeter.

Volume unit: m³

Velocity unit: m/s

Diameter of flowmeter: mm

Transient flux display: display flux unit, and the percentage of range.

Integrated flux display: display forward and reverse integrated flux and total integrated flux.

Pulse output: By setting an impulse ratio, the pulse quantity expressed in any flux unit can be output.

Pulse width: Duty ratio of 50% or fixed pulse width is available for users to choose.

Output speed: 10 to 400 (PPS) (only applicable when the form of pulse output is selected).

Black-out data protection: data will be stored by EEPROM without backup battery.

Forward and Reverse flux measurement: in the model of forward and reverse flow direction, the reverse flux can be measured.

Upper limit alarm: the transient flux is larger than the upper limit of setting value

http://www.microsensor.cn

Add: No.18,Yingda Road Baoji,P.R.China, 721006

Tel: +86 917 3600739/3600832 Fax: 3609977 -3 -

MICRO SENSOR CO.,LTD.



Lower limit alarm: the transient flux is smaller than the lower limit of setting value

Damping function: available to set from 0.2s ~ 100s (63% response time)

Normal Working Condition

Environment Temperature: -20°C ~60°C

Rated Voltage of Power Supply:

220V AC: 100V~240V AC

DC: 24V DC

Installation and Structure

Installation:

Separate model: converter, 50mm pipe or plane installation

Integrated model: combined with the sensor

Wire connector: ISO M20 × 1.5 female thread

Wire Terminals: M3 screw

Housing material: aluminum alloy

Structure:

Protection class: IP65 (general type); IP68 (waterproof)

MFE600 Electromagnetic Flowmeter Performance Introduction(Flange)



Integrated Separated

Tel: +86 917 3600739/3600832



| Diameter | DN10 ~ DN500 |
|------------------|--|
| Excitation type | Constant flux square wave excitation |
| Installation | Integrated flanged, Separated Flanged |
| Lining | Neoprene, Polyurethane rubber, PTFE, F46 |
| Electrode | 316L, Hc, Hb, Titanium, Tantalum, Platinum iridium, Tungsten carbide |
| Material | |
| Grounding | Built-in grounding electrode (DN25 and above) |
| Medium | Conductive liquid |
| Accuracy Grade | 0.5, 1.0 |
| Media | > 5 μS/cm |
| Conductivity | |
| Velocity | \leq 10 m/s |
| Pipe Connection | Flange GB 81∼59 |
| Flange | |
| Pipe Connection | Flange Connection |
| Media Temp. | Neoprene: -10°C~ 60°C; PTFE: -10°C~ 120°C |
| | Urethane Rubber: $-10^{\circ}\text{C} \sim 80^{\circ}\text{C}$; F46: $-10^{\circ}\text{C} \sim 150^{\circ}\text{C}$ |
| Rated Pressure | 4.0 MPa; 1.6 MPa; 1.0 MPa |
| Protection Level | IP65; IP68 |
| Output signal | 4mA~ 20mA DC current; Pulse/ Frequency, Alarm after Upper and Lower limits |
| Cable connection | M20×1.5 female |
| Communication | RS 485 protocol (Modbus protocol) |
| | RS 232 protocol (optional) |
| Display | Transient flux, Alarm display, Percentage, Velocity, Forward and Reverse |
| | Integrated Flux and Total Integrated Flux |
| Power supply | 220V AC, 24V DC, 3.6 V battery power supply |
| Type | General, Waterproof |
| High Voltage | Customized |

MFE600 Electromagnetic Flowmeter Performance (Clamp-on)

Tel: +86 917 3600739/3600832 Fax: 3609977 -5-



| Diameter | DN10 ~ DN500 |
|------------------|---|
| Excitation type | Constant flux square wave excitation |
| Installation | Integrated clamp-on, Separated clamp-on |
| Lining | Neoprene, Polyurethane rubber, PTFE, F46 |
| Electrode | 316L, Hc, Hb, Titanium, Tantalum, Platinum iridium, Tungsten carbide |
| Material | |
| Grounding | Built-in grounding electrode (DN25 and above) |
| Medium | Conductive liquid |
| Accuracy Grade | 0.5, 1.0 |
| Media | > 5μS/cm |
| Velocity | ≤ 10 m/s |
| Pipe Connection | Flange GB 81~59 |
| Pipe Connection | Flange Connection |
| Media Temp. | Neoprene: -10°C ~ 60°C; PTFE: -10°C ~ 120°C |
| | Urethane Rubber: -10° C \sim 80°C; F46: -10° C \sim 150°C |
| Rated Pressure | 4.0 MPa; 1.6 MPa; 1.0MPa |
| Protection Level | IP65; IP68 |
| Output signal | 4mA~ 20mA DC current; Pulse/ Frequency, Alarm after Upper and Lower limits |
| Cable connection | M20×1.5 female |
| Communication | RS 485 protocol (modbus protocol) |
| | RS 232 protocol (optional) |
| Display | Transient flux, Alarm display, Percentage, Velocity, Forward and Reverse |
| | Integrated Flux and Total Integrated Flux |
| Power supply | 220V AC, 24V DC, 3.6V battery power supply |
| Туре | General, Waterproof |
| High Voltage | Customized |

Model Selection

The flowmeter model selection is very important in application of instrument. The related information shows that in practical application of instrument, 2/3 failures are caused by incorrect selection of model and incorrect installation of instrument to which the special attention shall be paid.

- 1. Technological data collection
 - a. The measured fluid name and its chemical substances
 - b. Maximum flux, minimum flux and normal flux
 - c. Maximum working pressure;



- d. Maximum temperature, minimum temperature.
- 2. The measured liquid shall have certain conductivity, electrical conductivity $\geq 5\mu \text{S/cm}$.
- 3. The maximum flux and the minimum flux shall meet the values in the measurable flux range table.
- 4. The actual maximum working pressure shall be less than the rated working pressure of flowmeter.
- 5. The maximum working temperature and the minimum working temperature shall meet the temperature requirements stipulated for flowmeter.
 - 6. Whether negative pressure exists or not in the processing pipeline shall be confirmed.

You can also select the appropriate flowmeter electromagnetic flowmeter according to actual use, and if the interior diameter of the electromagnetic flowmeter selected differs from that of the existing process pipe, then pipe reduction or expansion shall be considered.

- 1. If the pipeline should be contracted, whether the pressure loss caused by the pipe contraction will affect the process flow or not shall be considered.
- 2. Considering the measurement accuracy and price, you can choose a smaller diameter electromagnetic flowmeter, which can reduce the investment relatively.
- 3. When measuring clean water, the economic velocity is $2m/s \sim 3m/s$; when measuring the solution of crystallization, the velocity shall be increased approximately to common velocity of ≥ 2 m/s, in order to prevent the electrode of electromagnetic from flowmeter being covered.

Measurable Flux Range

International Unit (Diameter: mm, Flow: m³/h)

| Diameter | Minimum Range | Maximum Range |
|----------|-------------------|------------------|
| Diameter | Velocity (0.5m/s) | Velocity (10m/s) |
| 10 | 0.1414 | 2.8274 |
| 15 | 0.3181 | 6.3615 |
| 20 | 0.5655 | 11.3094 |
| 25 | 0.8836 | 17.6709 |
| 32 | 1.4476 | 28.9521 |
| 40 | 2.2619 | 45.2376 |
| 50 | 3.5343 | 70.6838 |
| 65 | 5.9730 | 119.4555 |
| 80 | 9.0478 | 180.9504 |
| 100 | 14.1372 | 282.7350 |
| 125 | 22.0893 | 441.7734 |
| 150 | 31.8086 | 636.1538 |
| 200 | 56.5487 | 1130.9400 |
| 250 | 88.3573 | 1767.0938 |

http://www.microsensor.cn

MICRO SENSOR CO.,LTD.

Tel: +86 917 3600739/3600832 Fax: 3609977




| 300 | 127.2345 | 2544.6150 |
|------|-----------|-------------|
| 350 | 173.1803 | 3463.5038 |
| 400 | 226.1947 | 4523.7600 |
| 500 | 353.4292 | 7068.3750 |
| 600 | 508.9380 | 10178.4600 |
| 700 | 692.7212 | 13854.0150 |
| 800 | 904.7787 | 18095.0400 |
| 900 | 1145.1105 | 22901.5350 |
| 1000 | 1413.7617 | 28273.5000 |
| 1100 | 1710.5972 | 34210.9350 |
| 1200 | 2035.7520 | 40713.8400 |
| 1400 | 2770.8847 | 55416.0600 |
| 1500 | 3186.8625 | 63615.3750 |
| 1600 | 3619.1147 | 72380.1600 |
| 1800 | 4580.4421 | 91606.1400 |
| 2000 | 6554.8867 | 113094.0000 |

Electric Connection

Please notice the following suggestions when connecting wires:


- 1. In order to ensure interior insulation of sensor junction box, in case of the poor insulation caused by moisture, it is not suggested to connect cable outdoors in the raining weather.
- 2. When connecting the power cable and signal cable, both ends of the cable should be wrapped with circular lugs.
- 3. Conduit tube is suggested to use. The conduit tube material can use thick and sturdy steel pipe or flexible metal pipe.
 - 4. All the power cable and non 4-core 24V DC signal cable must be equipped with metal cable protection tube.
- 5. When equipped with waterproof seal cable connector, it must be tightened to ensure that no water seepage inside the box.
- 6.In order to protect the operator and maintenance personnel from electric shocks and to prevent the influence of external noise, the ground should be connected to the sign ($\leq 10\Omega$).



Integrated Type Wire Connection



| Terminal Symbol | | Function | |
|-----------------|-------------|---|--|
| 1 | T-/B | | |
| 2 | RS232 GND | RS485 Communication Output RS232 Communication Output (optional) | |
| 3 | T+/A | - KS2S2 Communication Output (optional) | |
| 4 | IOUT | 4mA~20mA DC current output | |
| 5 | POUT | 2-way flow pulse output/frequency output | |
| 6 | COM | | |
| 7 | ALMH | Alarm output for Upper Limit of flux | |
| 8 | ALML | Alarm output for Lower Limit of flux | |
| | Empty(Null) | | |
| 9 | EX1 | | |
| 10 | EX2 | Excitation Current | |
| 11 | S1 | Electrode wire | |
| 12 | S0 | Grounding wire | |
| 13 | S2 | Electrode wire | |
| 20 | PE | | |
| 21 | 220V | 2201/4-0 | |
| 22 | 220V | 220V AC power supply access point | |
| 19 | -24V | awac . | |
| 18 | +24V | 24V DC power supply access point | |
| Short | IN+ | When lugs is connected to (IN $+$), the flux output is | |
| Circuit lugs | IN- | positive; when lugs is connected to (IN-), the flux output is negative. | |



Separated Type Wire Connection

http://www.microsensor.cn

Add: No.18,Yingda Road Baoji,P.R.China, 721006
Tel: +86 917 3600739/3600832 Fax: 3609977



| Te | erminal Symbol | Function | | | | |
|-----------------------|----------------|--|----------------------------------|--|--|--|
| 1 | T-/A | | | | | |
| 2 | RS232 GND | RS485 Communication Output RS232 Communication Output(optional) | | | | |
| 3 | T+/B | - K3232 Communication Output(optional) | | | | |
| 4 | Iout | 4mA~20mA DC Current output Active output; | | | | |
| 5 | Icom | Current output | If it is passive | | | |
| 6 | Pout | 2-way flow pulse output/frequency output | output, Please pull out the lug. | | | |
| 7 | Pcom | Pulse output | | | | |
| 8 | НА | Alarm output for Upper Limit of flux | ζ | | | |
| 9 | LA | Alarm output for Lower Limit of flux | | | | |
| 10 | EX1 | | | | | |
| 11 | EX2 | Excitation Current | | | | |
| Shielding Network | DS1 | | | | | |
| 12 | SIG1 | Electrode wire | | | | |
| 13 | SGND | Grounding wire | | | | |
| 14 | SIG2 | Electrode wire | | | | |
| Shielding network | DS2 | | | | | |
| | 220V | 220V AC | | | | |
| | 220V | 220V AC power supply access point | | | | |
| | -24V | 24V DC power supply access point | | | | |
| | +24V IN+ | | a flux output is | | | |
| Short Circuit lugs | IN- | When lugs is connected to (IN +), the flux output is positive; when lugs is connected to (IN-), the flux output is negative. | | | | |

Flowmeter Model Instruction

| Name | Specification Code | Instruction |
|--------------------|---------------------------|-----------------------------------|
| Instrument Type | MFE600 | Electromagnetic Flowmeter |
| Measurement Pipe | XXX | For Example: 100 represents DN100 |
| Diameter | | |
| Electrode Type | 1 | Standard Mount (required) |
| | 0 | SS316L |
| Electrode Material | 1 | Platinum Pt |
| | 2 | Hastelloy B (HB) |



| | 3 | Tantalum (Ta) |
|-----------------------|-------|---|
| | 4 | Titanium (Ti) |
| | 5 | Hastelloy C (HC) |
| | 3 | Neoprene |
| Tining March 1 | 4 | Polyurethane Rubber |
| Lining Material | 5 | F4(PTFE) Polyfluoroethylene F4 |
| | 6 | F46(FEP) Polyperfluorethylene-propylene F46 |
| | 4.0 | DN 10 ~ 80 |
| Data 1 Data and (MDa) | 1.6 | DN 100 ~ 150 |
| Rated Pressure(MPa) | 1.0 | DN 200 ~ 1000 |
| | 0.6 | DN 1100 ~ 2000 |
| M. I'. W. I'm T. | Е | < 60°C |
| Media Working Temp. | Н | <120°C |
| G 1 | 1 | Built-in Grounding Electrode |
| Ground | * | None |
| D | 0 | IP65 |
| Protection | 1 | IP68 |
| G | 0 | Integrated |
| Converter Type | 1 | Separated |
| A 1 C' 1 | 0 | 4mA~20mA DC (with pulse/frequency) |
| Analog Signal | * | None |
| | 0 | None |
| D'. '/. 1 C' 1 | 1 | RS-485 (ModBus protocol) |
| Digital Signal | 2 | RS232 |
| | 3 | Others (customized) |
| II. da Maraid | 0 | Carbon Steel |
| Housing Material | 1 | Stainless Steel |
| Elemen Material | 0 | Carbon Steel |
| Flange Material | 1 | Stainless Steel |
| Commonion Flores | 0 | Without |
| Companion Flange | 1 | With |
| Power Supply | 0 | 220V AC |
| | 1 | 24V DC |
| | 2 | Battery supply |
| Instrument Range | (XXX) | For example: (200)means 20mA corresponds to the |
| | | maximum flux 200m ³ /h. |

Version Code Example: MFE600-200-103-1.0E1-0001-0010 (max)

Explanation: MFE600 Electromagnetic flowmeter; DN200 diameter; with fixed stainless steel electrodes and Neoprene lining; with rated pressure of 1.0MPa and internal grounding electrode, temperature $<60^{\circ}$ C; IP65 protection, integrated, with 4mA \sim 20mA DC(frequency or pulse output) and RS485 digital signal; carbon steel housing and flange, with companion mounting flange (including bolts and nuts), 220VAC power supply.




Electromagnetic Flowmeter Outline Construction

| Diameter (DN) Rated Pressure | | Instrument Outline Dimension (mm) | | Flange Connection Dimension (mm) | | | Weight (kg) | |
|------------------------------|-------|-----------------------------------|------|----------------------------------|------|------|-------------|------|
| | (MPa) | a | Bf | e | D | D0 | n×A | |
| 10 | | 150 | 322 | 82 | 90 | 60 | 4-Ф14 | 7 |
| 15 | | 150 | 322 | 82 | 95 | 65 | 4-Ф14 | 8 |
| 20 | | 150 | 322 | 78 | 105 | 75 | 4-Ф14 | 8 |
| 25 | | 150 | 312 | 78 | 115 | 85 | 4-Ф14 | 8 |
| 32 | 4.0 | 150 | 327 | 74 | 135 | 100 | 4-Ф18 | 9 |
| 40 | | 150 | 335 | 74 | 145 | 110 | 4-Ф18 | 11 |
| 50 | | 200 | 354 | 86 | 160 | 125 | 4-Ф18 | 12 |
| 65 | | 200 | 366 | 92 | 180 | 145 | 8-Ф18 | 14 |
| 80 | | 200 | 385 | 92 | 195 | 160 | 8-Ф18 | 15 |
| 100 | | 250 | 406 | 114 | 215 | 180 | 8-Ф18 | 18 |
| 125 | 1.6 | 250 | 436 | 114 | 245 | 210 | 8-Ф18 | 20 |
| 150 | | 300 | 465 | 136 | 280 | 240 | 8-Ф23 | 24 |
| 200 | | 350 | 518 | 156 | 335 | 295 | 8-Ф23 | 44 |
| 250 | | 400 | 570 | 202 | 390 | 350 | 12-Ф23 | 54 |
| 300 | | 500 | 620 | 230 | 440 | 400 | 12-Ф23 | 76 |
| 350 | | 500 | 675 | 278 | 500 | 460 | 16-Ф23 | 79 |
| 400 | | 600 | 733 | 320 | 565 | 515 | 16-Ф23 | 100 |
| 450 | 1.0 | 600 | 782 | 374 | 615 | 565 | 20-Ф25 | 130 |
| 500 | 1.0 | 600 | 835 | 388 | 670 | 620 | 20-Ф25 | 140 |
| 600 | | 600 | 940 | 408 | 780 | 725 | 20-Ф30 | 205 |
| 700 | | 700 | 1048 | 520 | 895 | 840 | 24-Ф30 | 305 |
| 800 | | 800 | 1160 | 580 | 1010 | 950 | 24-Ф34 | 415 |
| 900 | | 900 | 1260 | 660 | 1110 | 1050 | 28-Ф34 | 505 |
| 1000 | | 1000 | 1370 | 720 | 1220 | 1160 | 28-Ф34 | 635 |
| 1200 | | 1200 | 1585 | 1130 | 1405 | 1340 | 32-Ф34 | 725 |
| 1400 | | 1400 | 1810 | 1260 | 1630 | 1560 | 36-Ф36 | 1185 |
| 1600 | 0.6 | 1600 | 2040 | 1450 | 1830 | 1760 | 40-Ф36 | 1505 |
| 1800 | | 1800 | 2250 | 1640 | 2045 | 1970 | 44-Ф39 | 2035 |
| 2000 | | 2000 | 2460 | 1820 | 2265 | 2180 | 48-Ф42 | 2555 |

The model selection of the electromagnetic flowmeter is preferably performed by a technician who is familiar with on-site technological conditions. The technician shall select proper diameter, lining material and electrode and so on according to the measurable range table in the type selection material, and the selection preferably confirmed by an end user who is familiar with the on-site technological conditions.

Tel: +86 917 3600739/3600832





Select flowmeter type

Integrated and Separated type

Both the integrated type and separated type have their own advantages, and basic principles for selection are as follows:

The separated type is generally used in situations inconvenient for on-site maintenance and numerical reading when commissioning is difficult or the flow meter is often immersed in water and with other functions. It is also used in poor application situations, such as high temperature fluid, a position with vibration source and explosive environment. In most cases, both the integrated and separated type can meet usage requirements.

The Sensor Diameter and the Process Pipe Diameter Connected


Generally, for the sake of easy installation, please do not select reducing pipe, provided that the flux used in the flowmeter pipe shall be within the range of 0.3m/s ~ 10m/s. This kind of selection is usually applicable to a newly-designed project for which not only current working conditions are considered when choosing a velocity, but also a situation of running at full load of the device in the future shall be considered. For the relationships among the flux, velocity and diameter, see curve graph, however, sometimes we also choose a sensor with a different diameter with the connected pipelinediameter, for example:

- 1. The velocity in the pipeline is low and the process flux is stable. In order to meet the demand of the instrument for flux range and improve local velocity of the flowmeter, select a sensor with smaller diameter than the technological pipeline and additionally connect a reducing pipe at front and rear part of the sensor.
- 2. In terms of large diameter electromagnetic flowmeter, the larger the diameter is, the higher the price will be. As for the situations with low velocity in the pipeline and stable technological parameter, small diameter flowmeter can be chosen. This not only runs the flowmeter under good working state, but also reduces investment cost.

Tel: +86 917 3600739/3600832




FlowmeterDiameter, Velocity and Flow Relation Graph






Straight Pipeline Length


In order to ensure upstream pipe condition required for achieveing high measurement accuracy of electromagnetic flowmeter, pipeline conditions as shown in following are recommended according to standards above and measured data of pipeline condition.





http://www.microsensor.cn





Minimum Length of Required Straight Pipe

Notes for Installing a Reducing Pipe additionally

For not mapping distribution of flux field after installing the reducing pipe and not influencing precision of the electromagnetic flowmeter, the reducing pipe can be regarded as a part of the straight pipe segment. The central core angle α of the reducing pipe shall be no more than 150 degree, and the smaller, the better.

The installation of a reducing pipe will cause pressure loss


The total pressure loss consists of three parts:

- 1. Pressure loss in reducing pipe $\Delta P1 = \rho / 2\xi 1V22$
- 2. Pressure loss in increasing pipe $\Delta P3 = \rho / 2\xi 3V22$
- 3. Pressure loss in sensor measuring pipe $\Delta P2 = \rho / 2\xi 3V22$

The total pressure loss: $\Delta P = 0.01 (\Delta P1 + \Delta P2 + \Delta P3)$ (mbar)

NOTE: ρ is the medium density, the unit is kg / m³

- \$1, \$3 are respectively coefficient related with the Reynolds number of reducing pipe and increasing pipe;
- $\xi 2 = 0.02$ is coefficient of sensor measuring pipe;
- V1, V2 are respectively velocities in the technological pipeline and sensor measuring pipe, in unit of m/s;




E.a ξ' valve when α=8°

Fax: 3609977

Tel: +86 917 3600739/3600832




| Ī | d1/d2 | 1.2 | 1.3 | 1.4 | 1.5 | 1.6 | 1.7 | 1.8 | 1.9 | 2.0 |
|---|-------|-------|-------|--------|-------|------|--------|--------|--------|--------|
| | ξ1 | 0.018 | 0.023 | 0.0255 | 0.028 | 0.03 | 0.0308 | 0.0315 | 0.0323 | 0.0332 |
| | ξ3 | 0.01 | 0.02 | 0.07 | 0.15 | 0.26 | 0.43 | 0.64 | 0.9 | 1.25 |



Installation Direction

When installing the electromagnetic flowmeter, in general, the axis of the electrodes shall be approximately level in horizontal installation. If the axis of the electrodes is perpendicular to the ground, bubbles will be easily collected near the electrodes located on the upper side, while the electrode located at lower side and stopping the liquid contacting with the same is covered by slurry. The converter shall be installed above the pipeline to prevent water from entering the converter.



Electromagnetic flowmeter must work in full pipe conditions, that is to say, the flowmeter cannot work normally in partially filled pipe or empty pipe conditions.

The positive direction in which fluid flows is generally in the same direction as the arrows in the sensors. There must be enough installation and maintenance space close to the flowmeter to prevent the flowmeter from being vibrated. During installation of the flowmeter, supports for supporting pipeline shall be provided on the two sides of the flowmeter. Stress is prevented from being affected because of pipeline vibration, impact and shrinkage. For



heavily polluted fluid, a consideration that a flowmeter is installed on the pipeline should be given.


The positive direction of the liquid flow should be consistent with the general direction of the arrow on the sensor, and there must be sufficient space for installation and maintenance to prevent the flowmeter from vibration.

Flowmeter Piping

Pipeline misalignment or inclination is a reason why the pipeline flanges bounces and breaks.

- 1. When flowmeter is installed, pipeline misalignment or inclination, and installation distance deviation between two flanges should be corrected first.
- 2.Whenflowmeter is installed, generally there are some foreign matters (e.g., welding slag and scraps) within pipeline path. Prior to installing the flowmeter, these impurities should be washed away.

Fluid Conductivity



The electromagnetic flowmeter cannot be installed in the pipeline where the fluid conductivity is very uneven. Especially, when chemicals are injected from the upstream of the instrument, it is easily to cause unevenness of conductivity, thereby seriously interfering the measurement of flowmeter. In this case, we recommend that chemicals should be injected from the downstream of the instrument. If chemicals must be injected from the upstream of the instrument, a straight pipe segment which is long enough must be installed to ensure that fluids are mixed well.

Fluid Sealant

Please note below points during usage of fluid sealant:

Do not let it cover the surface of the electrode and the grounding ring, because this will influence the measurement of flux.

Using Cut-off valve and the Bypass valve


For easy maintenance and zero setting, cut-off valve and the bypass valve are recommended to use.

Ensure no air bubbles in flowmeter.

Pipeline design should ensure that no air bubbles come out from the fluid. Generally the flowmeter should be installed on the upstream of the valve, because the pressure in the pipeline is reduced under the action of the valve, thereby producing bubble.

MICRO SENSOR CO.,LTD.





Selection of the electrode material

The electrode material should be selected according to the corrosivity of measured medium, and selected by the users who are familiar with the on-site conditions. In general, the corrosion resistance of electrode material is higher than that of pipeline material by one grade. For ordinary media, please consult related anti-corrosion manuals. For media having complex components such as mixed acid, coupon tests should be done.

Electrode Material Properties (for reference only)

| Electrode Material | Material Measured Performance (for | Corrosion Resistance |
|--------------------|---|--|
| | reference only) | |
| | Domestic water, industrial water, raw wells | |
| 316L | water, urban sewage, weak corrosive acid, | |
| | alkali, salt solution | |
| Hastelloy B(HB) | Hydrochloric acid (concentration <10%) and other non-oxidizing acid Sodium hydroxide (concentration <50%), Ammonium hydroxide alkaline solution on all concentration level; Phosphoric acid, organic acid | not applicable for Nitric acid |
| Hastelloy C (HC) | Mixed acid such as chromic acid and sulfuric acid solution Oxidizing salts such as: Fe ++++, Cu ++, seawater | not applicable for Hydrochloric acid |
| Titanium | Salts, such as: (1) chloride (oxide / magnesium / aluminum / calcium / ammonium / iron, etc.) (2) the sodium salt, potassium salt, ammonium salt and sodium hypochlorite salts, as well as potassium hydroxide, ammonium hydroxide, barium hydroxide caustic soda solutions with sea water concentration <50% | Not applicable for hydrochloric acid, sulfuric acid, phosphoric acid, hydrofluoric acid and other reducing acids |
| Tantalum | Hydrochloric acid (concentration <40%), dilute sulfuric acid and concentrated sulfuric acid (not | Not applicable for alkalo and hydrofluoric acid |

Tel: +86 917 3600739/3600832



| | including oleum) chlorine dioxide, ferric | |
|------------------|---|--------------------------|
| | chloride, hypochloriteacid, sodium hudroxide, | |
| | lead acetate | |
| | Nitric acid (including fuming nitric acid) and | |
| | other oxidizing acid, aqua regia at temperature | |
| | below 80°C | |
| Dl. 44 | Almost all of the acid, alkali, salt solution | Not applicable for aqua |
| Platinum | (including fuming sulfuric acid, fuming nitric | regia, ammonium salt |
| | acid) | |
| | Dula same a salid sami das midh | Not applicable for |
| Tungsten Carbide | Pulp, sewage, solid particles with | inorganic acids, organic |
| | anti-interference property | acids, chlorides |

Ground ring materials selection

Ground ring material can be the same as the electrode material. Generally material with the same corrosion resistance as the pipeline material is optional.

Lining material selection

Lining materials should be chose according to type and temperature of measured fluid. PFA is a kind of fluorinated plastic, with good corrosion resistance to strong acid and alkali. It can withstand high temperature, with no deformation and reduction in insulation resistance at high temperature. 99.9% high-purity alumina is used for making ceramic lining fabrication so that the instrumentation can measure the flux with high precision. In comparison with traditional high polymer material, ceramics cannot create high temperature, high pressure deformation, and have good wear resistance.

Polytetrafluoroethylene (PTFE) Advantages

- High temperature resistance working temperature is up to 120°C.
- \bullet Low temperature resistance good mechanical toughness; even if the temperature drops to -20 °C, it still can maintain 5% elongation.
- Corrosion resistance for many chemicals and solvents, it presents inertness and is resistant to strong acid, strong alkali, water and various organic solvent.
- Weather resistance boasting the best aging lifetime of plastics
- High lubrication boasting the lowest coefficient of friction in solid materials.
- Non-adhesion -boasting the lowest surface tension in solid materials and not adhering to any substances.
- Non-hazardous with physiological inertness and can be implanted in human bodies for a long term as blood vessel prosthesis and visceral organ, with no adverse reactions.

F46 Advantages

• F46 has the same excellent corrosion resistance like PTFE, but has higher temperature resistance than PTFE, up to



140°C. It can be used for sanitary products and jetted molding, and is easier to be processed.

Polyurethane rubber Advantage

• Code (UR), is the polymerization of polyester (or polyether) with disocyanate compound. Performance: it is a rubber with the highest abrasive resistance. Advantages includes: high strength and elasticity, good oil resistance, good ozone resistance, aging resistance, and good air tightness. Disadvantages includes: poor moisture resistance, low water resistance and alkali resistance, poor solvent resistance. It applies to places requiring high abrasive resistance, high strength and oil resistance.

Neoprene Advantage

• Good adhesion, softness and abrasion resistance, good water resistance, ageing resistance and other characteristics. In contrast, it has poor oil resistance, and is prone to ageing corrosion in environment with mixed oil and gas.

Main performance and application range (for reference only) of Electromagnetic flowmeter liner

| Lining Material | | Performance | Application range | Measurable | Notice |
|-----------------|-------|--------------------------|--------------------|----------------------|----------------------|
| | | | | medium examples | |
| | | 1. Excellent chemical | 1. Flow meter | 1, Hydrochloric | 1. It does not |
| | | stability, but chlorine | long-term use | acid, sulfuric acid, | apply to chlorine |
| | | and sodium at molten | temperature is | aqua regia. | trifluoride, liquid |
| | | state may be corrosive | -10°C~120°C. | 2, Most other acids, | fluorine at high |
| | | to such materil. | 2. It can be used | alkalis and | flow rates. |
| | | 2, Resistant to | to measure most | oxidizing agents. | 2. Generally not |
| | | hydrochloric acid, | acids, alkalis, | | used for measuring |
| | | sulfuric acid, and aqua | strong oxidizing | | the electrolyte, |
| | PTFE | regia, and the organic | agents and other | | such as NaCl |
| | (F4) | solvents does not | corrosive media, | | solution flowing |
| | | resistant to it. | but not suitable | | out of the |
| | | 3. Low abrasive | for KOH, nitric | | electrolytic cell. |
| | | resistance and poor | acid, hydrofluoric | | 3. Not suitable for |
| | | adhesion performance. | acid and the like. | | medias with solid |
| | | 4. Excellent electrical | 3. Sanitary | | particles. |
| | | insulation properties, | media. | | |
| | | but poor resistance to | | | |
| | | corona. | | | |
| | | 1. It has same chemical | 1. The Flow | 1. Hydrochloric | 1. It does not |
| | | stability, electrical | meter long-term | acid, sulfuric acid, | apply to the |
| | | insulation, lubrication, | use temperature | aqua regia. | molten alkali |
| | FEP | non-stick feature and | is -40°C~80°C. | 2. Most other acids, | metal, fuming |
| | (F46) | incombustibility as that | 2. It can be used | alkalis and | nitric acid, |
| | | of PTFE (F4), but | to measure most | oxidizing agents. | chlorine trifluoride |
| | | FEP material strength, | strong acids, | 3. Medium | and the like. |
| | | aging resistance, heat | alkalis, strong | containing small | 2. It is generally |

Tel: +86 917 3600739/3600832



| | 1 | T | T | T | T |
|----------|-----|--------------------------------------|---------------------|----------------------|----------------------|
| | | resistance and low | oxidizing agents | amount of tiny | not used for |
| | | temperature toughness | and other | particles. | measuring the |
| | | is better than PTFE's. | corrosive media, | | electrolyte, such as |
| | | 2. Good adhesion to | but not suitable | | NaCl solution |
| | | metal and better wear | for KOH, nitric | | flowing out from |
| | | resistance than | acid, hydrofluoric | | the electrolytic |
| | | PTFE's. | acid and the like. | | cell. |
| | | 3. High tear resistance. | 3. Sanitary | | |
| | | | Medias. | | |
| | | 1. It closes to FEP | 1. The Flow | 1. Hydrochloric | 1. PFA is as |
| | | (F46) in chemical | meter long-term | acid, sulfuric acid, | similar chemical |
| | | stability, electrical | use temperature | aqua regia. | properties as |
| | | insulation, lubrication, | is -40°C~160°C. | 2. Most other acids, | PTFE. |
| | | Non-stick performance | 2. It can be used | alkalis and | 2. Usually not |
| | | and incombustibility, | to measure most | oxidizing agents. | used to measure |
| | | but PFA material | acids, alkalis, | 3. Media with a | the mud, coal |
| | | strength, aging | strong oxidizing | small amount of | slurry, pulp. |
| | | resistance, heat | agents and other | fine particles. | |
| | | resistance and low | corrosive media, | 4. Beer, | |
| | | temperature toughness | but not suitable | saponification | |
| | | is better than PTFE, | for KOH, nitric | liquid gas. | |
| | PFA | FEP. | acid, hydrofluoric | nquia gas. | |
| | | 2. Excellent adhesion | acid and the like. | | |
| | | to metals and better | 3. Sanitary | | |
| | | wear resistance than | medias. | | |
| | | that of PTFE, FEP. | medias. | | |
| | | 3. Low smoke, flame | | | |
| | | retardant, high | | | |
| | | _ | | | |
| | | temperature resistance, two times | | | |
| | | | | | |
| | | high-temperature | | | |
| | | mechanical strength | | | |
| | | than PTFE's. | 1.01 | 1 NT. 7 1 | 1 701 61.11 |
| | | 1. It has excellent wear | 1. General | 1. Neutral wear | 1. The fluid |
| | | resistance, good oil | long-term use | strength pulp, coal | temperature ranges |
| Urethane | | resistance. | temperature is | slurry, mud. | from 0°C~40°C. |
| | | 2. It has high strength, | -10℃~60℃. | 2. Domestic water, | 2. Generally not |
| Rubbe | | good tear resistance, | 2, Good wear | industrial water, | used to measure |
| Rubbel | | but poor acid and | resistance, | sewage, water. | medium of mixed |
| | | impact resistance. | suitable for liquid | | organic solvent. |
| | | 3. Poor heat resistance, | containing solid | | |
| | | generally 60°C. | particles. | | 1 |



| Neoprene Rubber | 1. It has good flexibility and tear resistance, certain oil resistance. 2. Poor aging resistance, brittleness temperature is at -28°C. 3. The wear resistance is worse than that of polyurethane rubber. | 3. Cannot be used to measure water containing organic solvent. 1. Long-term use temperature is -10°C~80°C. 2. As it contains antioxidant D, it is a little polluting. 3. Generally suitable for low concentration of acid, alkali, salt | Regular water, sewage. Surries, Pulp. | 1. It cannot be used to measure food. 2. It does not apply to the measurement of acid, alkali, strong oxidizing medium. |
|--------------------|---|--|---|--|
| | 4. It can bear the corrosion of general low concentration of acid, alkali, salt medium, but is not resistant to the oxidizing medium corrosion. | medium and sewage measurement. | | |
| Ceramics | 1. High strength, no deformation at high temp. and pressure. 2. It has the unique platinum - alumina cermet electrode. 3. It has a good anti-mud noise performance, suitable for permeable fluid. 4. Good wear resistance, and the wear resistance is 10 times that of polyurethane rubber. | 1. Suitable for high temperature and pressure fluid, viscous fluid, corrosive fluids. 2. Permeable fluids, slurries containing solid particles. | 1. The slurry containing hard solids, corrosive fluids, viscous fluids, high temperature high pressure fluid. 2. Chromium sulfate, 25% sodium hypochlorite, nitric acid and the like. | 1. It does not apply to hydrofluoric acid, aqua regia, NaOH, 70% concentration sulfuric acid. 2. It can not be used for measurement of copper sulfate, sodium salts and other salts materials. |

Protection Level Selection

According to GB4208-84, the International Electrotechnical Commission IEC standards (IEC529-76) on enclosure protection class: IP65 (protection against water jets), that is, water projected by a nozzle (water pressure 30kPa




(0.3bar), water volume 12.5L/min, 3m distance) against enclosure from any direction shall have no harmful effects. IP67 (protection against immersion in a short time), that is, ingress of water in harmful quantity shall not be possible when the enclosure is immersed in water under defined conditions of pressure and time (at least 150cm in water, submersion of 30min.). IP68 (protection against immersion in long time), that is, submersion in the water for long time use. The maximum depth of submersion shall be agreed by manufacturer and user.

Protection Selection should be defined according to the above requirements and actual working conditions of instrument. If the meter is below ground, and often immersed in water, IP68 shall be selected; if the meter is installed on the ground, and not in humid environment, IP65 is ok.

Sensor Grounding

Since the voltage of inductive signal of electromagnetic flowmeter is small, it is easily affected by noise. Its reference potential must be the same to the measured liquid potential. Therefore, the reference potential of the sensor (terminal potential), the reference potential of converters and amplifiers are also the same to measured liquid potential, and the liquid potential have to be the same as the ground potential. The electromagnetic flowmeter is equipped with a ground loop, which is for establishing a liquid ground via contact with liquid, and for protecting lining meanwhile.

The instrument grounding is shown as below:



Noise Suppression

Do not install Electromagnetic Flowmeter near motors, transformers or power device which is easy to cause induction interference.

Tel: +86 917 3600739/3600832