



Electropure EDI
Simple EDI

Electropure™ EDI EXL-700

NEW!

EXL-700 High Flow EDI Modules

New ELECTROPURE™ EXL-700 EDI modules are designed to be the highest flow EDI modules on the market. EXL is configured to easily build ultrapure water systems with the well-known benefits of Electropure™ EDI technology. EXL can be used with either 1-Pass RO or 2-Pass RO.

ELECTROPURE™ EXL-700 modules have the same physical profile as E-Cell® MK3 and IONPURE® LX modules with the advantages of Electropure™ EDI technology inside. This includes Electropure's patented Excellion™ membranes, new "never-leak" permanent O-ring seals, unique non-scaling electrode system, efficient thin-cell technology, and EXL connects using +GF+ unions.

Electropure™ EDI thin-concentrate technology effectively eliminates scaling. And with Electropure™ EDI technology's excellent mass-transfer design, you don't need salt injection, you don't need feed-and-bleed systems, and you don't need the IONPURE® "all-filled" design.



Parameter	SI Units	US Units
1-Pass RO + GTM* Design Flow	6.0 m ³ /h	26 gpm
2-Pass RO Design Flow	7.0 m ³ /h	30 gpm
Maximum Recommended Flow	8.0 m ³ /h	35 gpm
Recovery**	Up to 99%	Up to 99%
Normal Pressure Drop (25°C)	3 bar at 7.0 m ³ /h	45 psi at 30 gpm
Maximum Pressure	7 bar	100 psi

* SnowPure recommends Liqui-Cel® GTM for CO2 removal ** with electrolyte to drain, and concentrate recovery

SnowPure, LLC ♦ 130 Calle Iglesia ♦ San Clemente, CA 92672 USA
tel +1.949.240.2188 ♦ fax +1.240.2184 ♦ info@snowpure.com

EDI Module Parameters	Recommended for Optimum Performance	Maximum
Feedwater Conductivity Equivalent Including CO ₂ (FCE, see calculation*)	<9 uS/cm	<43 uS/cm
pH	7.0 to 7.5	5.0 to 9.5
Total Chlorine (as Cl ₂) and Ozone (O ₃)	ND	ND
Iron (Fe)	ND	<.01 ppm
Manganese (Mn)	ND	<.01 ppm
Sulfide (S-)	ND	<.01 ppm
Total Hardness (as CaCO ₃)	<0.5 ppm	<1 ppm
Total Silica (as SiO ₂)	<0.2 ppm	<0.5 ppm
Total Organics (TOC as C)	ND	<0.5 ppm
Temperature	10 to 35C (50-95F)	5 to 45C (40-110F)
Voltage	500VDC	600VDC
Concentrate Flow Direction	Upward	Upward
Feed Flow Direction	Upward	Upward
Dimensions (EXL-700) (WidthxHeightxDepth)	314x606x382 mm	(12.4x24x15.4 in)
Operating Weight (EXL-700)	87 kg (192 lb)	
Shipping Weight (EXL-700)	96 kg (212 lb)	

SnowPure, LLC
130 Calle Iglesia
San Clemente, CA 92672, USA
Tel: +1.949.240.2188
info@snowpure.com
www.snowpure.com

SnowPure International, Ltd.
Hong Kong
Tel: +852.95127229
info@snowpureintl.com
www.snowpureintl.com

India (Authorized Distributor)
Evergreen Technologies Pvt. Ltd.
3-D, Maker Bhavan-2
18, New Marine Lines,
Mumbai 400-020, India
Tel: +91.2201.2461
info@evergreenindia.com
www.evergreenindia.com

Japan (Authorized Distributor)
AMP Ionex / Mihama
美浜株式会社
Toranomon Kotohira Tower
Minato-Ku 1-2-8 Toranomon
Tokyo 105-8437, Japan
Tel: +81.3.4570.3819
info-mhg3@mihama.com
www.mihama.com

Korea (Authorized Distributor)
Innomeditech, Inc.
주식회사 이노메디텍
510, Hoseo-Univ.
Venture Tower 319
Gasam-dong, Geumcheon-gu
Seoul 153-802, Korea
Tel: +82.2.2627.5311
jbkim@innomt.com
www.innomeditech.co.kr

Nordic/Baltic (Authorized Distributor)
PWS Pure Water Scandinavia AB
Kaserngården 4
Falun 79140, Sweden
Tel: +46.23.797990
lars.wiklund@purewater.se
www.purewater.se

China Sales Office
Electropure Environmental
Technology (Shanghai) Co. Ltd.
伊乐环保科技(上海)有限公司
Room 3A-2, Bldg.1 No.16
Lane 1977 Jinsha Jiang Road
Shanghai 200-333, China
Tel: +86.21.6167.1860
sdsl235@163.com
www.electropure.com.cn

Electropure™ EDI Technology

- No concentrate recirculation or brine injection
- Thin-Cell efficient technology
- Thin-Concentrate non-scaling technology
- Unique non-scaling electrode system
- Patented Excellion™ membranes

Doing business with SnowPure

- Electropure™ EDI technology was born in 1977, before Ionpure
- SnowPure is privately held
- SnowPure is your partner, not a competitor
- High quality Electropure™ EDI training and OEM support

Benefits of Using EDI

- Continuous Process-no upsets
- Operating cost is minimized
- No hazardous waste, no associated costs and risks
- No regeneration acid or caustic
- Flexible—easy to expand a modular EDI system
- Reliable—no recirculation system components to fail

EDI Technology Training and OEM System Design Support

- SnowPure believes strongly in training—this helps ensure field success with Electropure™ EDI systems.
- SnowPure assists new OEM customers through their system design phase.
- Our customers also have access to our Best Practices P&ID's to aid in their EDI system optimization.
- Combined with ongoing Technical Service, we help ensure success.