

FW-S1

Looks like Nature, Purification as more than Nature



Nano Filtering ■ Type Black / White ■ Color

 $180(W) \times 400(H) \times 518(D)$ ■ Size

■ Capacity of water Cold water 20 Instant hot water

■ Filter Compound filter.

Block Carbon filter. Nano+ filter

■ Consumption Cold water 0.6A, Hot water 2400W

Feature

- Smart Standard Quantity & Continue outlet water
- Smart Automatically outlet water
- Direct watering type of Cold / Hot water



Electronic Touch

Easy to use and choice by Electronic Touch Switch & Jog Switch

Easy to control 4 steps of temperature Range

Easy to use Warm temperature water, Cold water, Normal Purify water and Hot water

* Warm temperature water is for making Milk of baby and taking medicine.

(Child Lock) Child Lock of Hot water Function

Prevent accident & Safety Child from Hot water.

Smart Standard Quantity outlet water

Easy to choice for outlet water function: a cup of water (120ml) / 500ml / Continue



EC(Easy Change) Filter Easy to change each filter for customer





Magnet used for Water Tray Easy to install, Always keep clean



The Cock that easy to clean and separate Sanitation Form that easy to clean and separate without any tool by hand

Simbi Water Purifier Filter System

New Generation Nano+ Filter System by double structure filtering

New Generation Nano+ Filter System destroy 99.9% of colon bacillus, norovirus and particle heavy metal through the Electro-adsorptive Technology.





Economic Function Automatic Economic function will be running in the Night or Dark.



Direct Water Type
Without Tank that means it's impossible to stay some Virus. / Sanitation Structure
Available to drink water of 23 cups of 10℃



Instant Hot Water
Use Safety Ceramic Heater for Hot water

Desktop Type Water Purifier



FW-2500 o



■ Туре UF(Direct Water Type)

■ Function Purify Water

■ Color Red

150(W)×410(D)×349(H) ■ Size

FW-2500H



■ Type ■ Function

UF(Direct Water Type) Purify Water Instant Hot Water

■ Color Red

150(W)×410(D)×349(H) ■ Size



FW-560S 0 0



UF / RO ■ Type

Cold Water / Hot Water ■ Function

■ Color White / Black

■ Size 290(W)×400(D)×456(H)

■ Capacity of Tank Cold water 3 l

Hot Water 1.5 @

Cold 4-10°C / Hot 80-90°C ■ Temperature Cold 85W / Hot 300W ■ Consumption





FW-3700S 6 fb





■ Type UF / RO

■ Function Cold Water / Hot Water

White / Black ■ Color

■ Size 290(W)×400(D)×456(H)

■ Capacity of Tank Cold water 3 () Hot Water 1.7 ()

■ Temperature Cold 4-10°C / Hot 80-90°C

Cold 125W /Hot 500W ■ Consumption

novita





NWP-1100H 6 fb





■ Type UF / RO

■ Function Cold Water / Hot Water

■ Color White / Black

290(W)×400(D)×455(H) ■ Size ■ Capacity of Tank Cold water 3 ℓ / Hot Water 1.5 ℓ

Cold 4-10°C / Hot 80-90°C ■ Temperature ■ Consumption Cold 80W / Hot 300W







NWP-3100H 6 fb



UF / RO ■ Type

■ Function Cold Water / Hot Water

■ Color White/Black

■ Size 290(W)×410(D)×480(H)

■ Capacity of Tank Cold water 3 ℓ / Hot Water(pot) 1 ℓ ■ Temperature Cold 4-10°C / Hot 80-90°C

■ Consumption Pot 1200W





FW-520S



■ Type

UF / RO

■ Function Cold Water / Hot Water ■ Color

White / Red

■ Size 290(W)×400(D)×456(H) ■ Capacity of Tank

Cold water 3 l / Hot Water 1.5 l

■ Temperature

Cold 4-10°C / Hot 80-90°C

Cold 80W / Hot 300W ■ Consumption

Undersink Purifier



F-500

■ Type RO

■ Function Purify Water

5step Filters

■ Color White

■ Feature High quality Faucet & Storage Water Tank



F-502M6

■ Туре

■ Function Purify Water

6step Filters

■ Color White

■ Feature High quality Faucet,

Storage Water Tank

& N6 Magnetic Filter



F-305W

■ Type UF

■ Function Purify Water

5step Filters

■ Color White

■ Feature High quality Faucet



F-301

■ Type UF

■ Function Purify Water

4step Filters

■ Color Red

■ Feature High quality Faucet





FW-3700 **6**



■ Type UF / RO

■ Function Cold Water / Hot Water

■ Color White / Black

■ Size 290(W)×400(D)×1100(H) ■ Capacity of Tank Cold water 3 ℓ / Hot Water 2 ℓ

■ Temperature Cold 4-10°C / Hot 80-90°C

■ Consumption Cold 100W / Hot 500W



FW-520 **a**



■ Type UF / RO

■ Function Cold Water / Hot Water

■ Color White/Red

290(W)×400(D)×1110(H) ■ Capacity of Tank Cold water 3 ℓ / Hot Water 2 ℓ

■ Temperature Cold 4-10°C / Hot 80-90°C ■ Consumption Cold 100W / Hot 500W



FW-560 **a**





UF / RO ■ Type

■ Function Cold Water / Hot Water

■ Color Black

■ Size 290(W)×400(D)×1110(H)

■ Capacity of Tank Cold water 3 ℓ / Hot Water 2 ℓ

Cold 4-10°C / Hot 80-90°C ■ Temperature

■ Consumption Cold 100W / Hot 500W

novita



NWP-1100S 6 fb



UF / RO ■ Type

■ Function Cold Water / Hot Water

■ Color White / Black

■ Size 290(W)×400(D)×1110(H)

■ Capacity of Tank Cold water 3 ℓ / Hot Water 2 ℓ Cold 4-10°C / Hot 80-90°C ■ Temperature

Cold 100W / Hot 500W ■ Consumption



Commercial Purpose

100% Perfect Sterilization System of 1st Special Patent in the World





UF / RO. UV ■ Type

Cold Water / Hot Water ■ Function

■ Color Black

■ Size 360(W)×415(D)×1240(H)

■ Capacity of Tank Storage Water 2 l

> Cold Water 4.9 (Hot Water 4.9 @

■ Temperature Cold 4-10°C / Hot 80-90°C

■ Consumption Cold 100W / Hot 700W









FW-630 **a**



■ Type UF / RO

■ Function Cold Water / Hot Water

■ Color

340(W)×405(D)×1205(H) ■ Size

■ Capacity of Tank Storage Water 4 ℓ

Cold Water 3 l Hot Water 3 ℓ

Cold 4-10°C / Hot 80-90°C ■ Temperature

Cold 93W / Hot 450W ■ Consumption



FW-808N 6 fb



■ Type UF / RO

■ Function Cold Water / Hot Water

■ Color

■ Size 365(W)×415(D)×1240(H)

■ Capacity of Tank Storage Water 15 @

Cold Water 4.9 ℓ Hot Water 4,9 (

■ Temperature Cold 4-10°C / Hot 80-90°C

■ Consumption Cold 93W / Hot 450W

Electric BIDET



BD-KN330R

■ Power 220V/60,50Hz

5.2kg ■ Weight ■ Color White

483(W)×543(D)×155(H) ■ Size

■ Consumption 1300W Max



BD-K300

■ Power 220V/60,50Hz

4.6kg ■ Weight ■ Color White

470(W)×530(D)×155(H) ■ Size

■ Consumption 1460W Max

■ Electric Leakage Circuit included



FH-101 c h

■ Туре UF / RO

■ Function Cold Water / Hot Water

Hydrogen Water

■ Color Black

■ Size 290(W)×400(D)×1100(H) ■ Capacity of Tank Cold Water 3ℓ / Hot Water 2ℓ

■ Temperature Cold 4-10°C / Hot 80-90°C Cold 100W / Hot 500W ■ Consumption

■ Hydrogen Rate 800~1000ppb



FW-2500H+ 1 m





UF (Direct Water Type) ■ Type

■ Function Purify Water /

Hydrogen Water

■ Color Red

■ Size 150(W)×410(D)×349(H)

■ Hydrogen Rate 800~1000ppb

Cluster

- The regular water of cluster hydrogen bond 5~13 units.
- The cluster is smaller, the motility cluster will be increased.
- Method of minimize of cluster.
 - To make water cold. When the temperature 4°C the density of water is maximum.
 - Magnetic field.
- Electrolysis.

Antioxidant Effect



Reactive Oxygen





Input Active Hydrogen







Reducing Power

- To suppress the propagation of putrefactive bacteria and multiply propagation of beneficial bacteria in colon.
- There is one hundreds types of microorganism is counted one hundred trillion in colon. This Microorganism is divided into beneficial bacteria, putrefactive bacteria and other bacteria.
- Electrolytic Reduction water (Alkali electrolytic water) is only water in the earth to help beneficial bacteria and prevent a disease by inhibition of poisonous substance formation. It gets rid off free oxygen radicals. Oxygen have strong properties to combined with the surrounding material. The oxidation process is a normal by product of our metabolism that produces "free radicals", which damage the body's cells and over the time its major.







ADDRESS (12729) #468-10,SANSOO-RO,CHOWOL-EUP,KWANGJU-SI,KYONGGI-DO, REPUBLIC OF KOREA

PHONE +82-31-763-2577 / +82-31-763-7348 (Contact Person Y. J. LEE)

FAX +82-31-763-2578 **EMAIL** trade@ifeshwater.co.kr WEBSITE www.ifreshwater.co.kr

