

A high-speed photograph of a water droplet falling into a pool of water. The droplet is captured mid-fall, just above the surface, creating a crown-like splash. The background is a gradient of light blue to dark blue.

HOT & COLD WATER DISPENSERS

SEONE Co., LTD.


www.seone.com

The World Best Water Dispenser Manufacturer in the World
100% Made in Korea

WHO WE ARE?

Since the Establishment, we have been developing and producing the quality products and services to meet the demand of our valuable customers.

Especially, regarding the water purification products, we are dominant in domestic market and overseas one as well in the near future.




Name of Company	SEONE CO., LTD.
Products	Water Dispenser (for Household and Commercial)
President	Mr. Nak-won Jung
Established	20 th of January, 1997
Employees	Approximately 50 employees
Annual Sales	US\$10M
Office and Factory Location	6, Yonggok-ro 123beon-gil, Yangji-myeon, Cheoin-gu, Yongin-si, Gyeonggi-do 17161 Republic of Korea



WHAT WE DO?

SEONE is a global company supplying high quality of water dispensers to all over the world under the goal of trusted partner for our alliance and partners.

We, SEONE team, work hard to target and reach same mutual benefit with our alliance and partners.



SEONE BUSINESS AREA

Working actively in B2B trading with more than 20 countries inclusive of OEM business.

We, SEONE can be your perfect partner for your successful business in your country.



WHAT WE MAKE?

- PRODUCT LINE

**HOT & COLD
WATER DISPENSERS**

HOT & COLD WATER DISPENSER- FLOOR STANDING TYPE



[SO-900]

Features

- UVC LED and Hydrogen generator (optional)
- Separate and confined space only for air filter
- Adjustable thermostat for accurate temperature control
- Overheating protection by bimetal sensor
- refrigerant gas (R-134a) used
- Material of all tanks : Stainless Steel
- Noiseless high performance compressor made in Korea (LG)
- All components are made in Korea.

MODEL		SO-900	
Available Water Bag Size		3 & 5 Gal. Bottled Water	
Weight		18.0kg	
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.3 Liter	
Heating System	Rated Watts	450 Watts	
	Heating By	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2L	
Power Supply		220V ~ 240V / 50, 60Hz 100V ~ 127V / 50, 60Hz	
Dimension		280mm(W) x 319mm(D) x 1000mm(H)	
20FT		40FT	40HQ
254 Units		536 units	536 units

HOT & COLD WATER DISPENSER - BAG WATER FLOOR STANDING TYPE



[SO-1200D]

Features

Safety

- Child safety lock installed

Hygiene

- Air is prevented from going in the bag
- No chance to be contaminated by air
- Environment friendly refrigerant (R-134a)
- Noiseless high performance compressor made in Korea (LG)

Operation

- Easy and convenient bag water replacement
- Simple and intuitive operation

MODEL		SO-1200D	
Available Water Bag Size		7.0 ~ 11.5 Liter	
Weight		19.5kg	
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.2 Liter	
Heating System	Rated Watts	450 Watts	
	Heating By	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2 Liter	
Power Supply		220V ~ 240V / 50, 60Hz 100V ~ 127V / 50, 60Hz	
Dimension		310mm(W) x 320mm(D) x 1180mm(H)	
20FT		40FT	40HQ
119 Units		245 Units	490 Units

HOT & COLD WATER DISPENSER- FLOOR STANDING TYPE



[SO-101]



[SO-301]

Features

- UVC LED and Hydrogen generator (optional)
- Noiseless circuit in compact design
- Hybrid coated side panels (galvanized steel)
- Overheating protection by bimetal sensor
- Function indicating LED lamps
- Noiseless high performance compressor made in Korea (LG)

MODEL		SO-101	SO-301
Water Supply		3 & 5 Gal. Bottle	
Weight		20kg	18kg
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.2 Liter	
Heating System	Rated Watts	450 Watts	
	Heating	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2 Liter	
Color		Light Gray / White	
Faucet		Press / Push / Safety type	
Power Supply		100, 110 ~ 220V / 50, 60Hz	
Dimension		340mm(W) x 330mm(D) x 1000mm(H)	310mm(W) x 320mm(D) x 960mm(H)
SO101 / 20FT = 192 units		SO101 / 40FT = 396 units	SO101 / 40HQ = 396 units
SO301 / 20FT = 238 units		SO301 / 40FT = 490 units	SO301 / 40HQ = 490 units

HOT & COLD WATER DISPENSER- FLOOR STANDING TYPE



[SO-501]



[SO-701]

Features

- UVC LED and Hydrogen generator (optional)
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compact design
- Hybrid coated side panels (galvanized steel)
- Overheating protection by bimetal sensor
- Noiseless high performance compressor made in Korea (LG)
- Childproof hot water faucet device

MODEL		SO-501	SO-701
Water Supply		3 & 5 Gal. Bottle	
Weight		18kg	20kg
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.2 Liter	
Heating System	Rated Watts	450 Watts	
	Heating	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2 Liter	
Color		Light Gray / White	
Faucet		Press / Push / Safety type	
Power Supply		100, 110 ~ 220V / 50, 60Hz	
Dimension		310mm(W) x 320mm(D) x 960mm(H)	340mm(W) x 330mm(D) x 1000mm(H)
SO501 / 20FT = 238 units		SO501 / 40FT = 490 units	SO501 / 40HQ = 490 units
SO701 / 20FT = 192 units		SO701 / 40FT = 396 units	SO701 / 40HQ = 396 units

HOT & COLD WATER DISPENSER- FLOOR STANDING TYPE



[SO-1000 B&W]



[SO-1000 White]



[SO-1100]

Features

- UVC LED and Hydrogen generator (optional)
- Adjustable thermostat for accurate temperature control
- Overheating protection by bimetal sensor
- Hot water faucet with childproof handle
- Environmental refrigerant gas (R-134a) keeps your health and our environment
- Economic and comfortable with noiseless high performance compressor
- Noiseless high performance compressor made in Korea (LG)

MODEL		SO-1000	SO-1100
Water Supply		3 & 5 Gal. Bottle	
Weight		18kg	
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.2 Liter	
Heating System	Rated Watts	450 Watts	
	Heating	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2 Liter	
Color		Light Gray / White	
Faucet		Press / Push / Safety type	
Power Supply		100, 110 ~ 220V / 50, 60Hz	
Dimension		310mm(W) x 340mm(D) x 980mm(H)	310mm(W) x 340mm(D) x 980mm(H)
SO1000, SO1100 / 20FT = 232 units		SO1000, SO1100 / 40FT = 474 units	SO1000, SO1100 / 40HQ = 474 units

HOT & COLD WATER DISPENSER- FLOOR STANDING TYPE



[SO-1100S]

Features

- Adjustable thermostat for accurate temperature control
- Overheating protection by bimetal sensor
- Hot water faucet with childproof handle
- Environmental refrigerant gas (R-134a) keeps your health and our environment
- Economic and comfortable with noiseless high performance compressor
- Noiseless high performance compressor made in Korea (LG)
- UVC LED and Hydrogen generator (optional)

MODEL		SO-1100S
Available Water Bag Size		3 & 5 Gal. Bottled Water
Weight		18.0kg
Cooling System	Rated Watts	80 Watts
	Cooling By	Noiseless Compressor (LG)
	Temperature Control	By Thermostat
	Tank	3.3 Liter
Heating System	Rated Watts	450 Watts
	Heating By	Sheathed Heater
	Temperature Control	By Automatic Bimetal + Manual Bimetal
	Tank	2L
Power Supply		220V ~ 240V / 50, 60Hz 100V ~ 127V / 50, 60Hz
Dimension		310mm(W) x 335mm(D) x 980mm(H)
20FT		40FT 40HQ
232 Units		474 units 474 units

HOT & COLD WATER DISPENSER- FLOOR STANDING TYPE



[SO-1200]

Features

- Upgraded 'ONE TOUCH OPEN' type upper for easy cleaning
- Separate and confined space only for air filter
- Adjustable thermostat for accurate temperature control
- Overheating protection by bimetal sensor
- UVC LED and Hydrogen generator (optional)
- Environmental refrigerant gas (R-134a) used
- Material of all tanks : Stainless Steel
- Noiseless high performance compressor made in Korea

MODEL		SO-1200	
Available Water Bag Size		3 & 5 Gal. Bottled Water	
Weight		18.0kg	
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.3 Liter	
Heating System	Rated Watts	450 Watts	
	Heating By	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2L	
Power Supply		220V ~ 240V / 50, 60Hz 100V ~ 127V / 50, 60Hz	
Dimension		310mm(W) x 315mm(D) x 1000mm(H)	
20FT		40FT	40HQ
238 Units		490 units	490 units

HOT & COLD WATER DISPENSER - **BAG WATER DESK TOP TYPE**



[SO-1200HD]



Features

Safety

- Child safety lock installed

Hygiene

- Air is prevented from going in the bag
- No chance to be contaminated by air
- Environment friendly refrigerant (R-134a)

Operation

- Easy and convenient bag water replacement
- Simple and intuitive operation

Design

- Modern & Stylish design

MODEL		SO-1200HD	
Available Water Bag Size		7.0 ~ 11.5 Liter	
Weight		16.5kg	
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.2 Liter	
Heating System	Rated Watts	450 Watts	
	Heating By	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2 Liter	
Power Supply		220V ~ 240V / 50, 60Hz 100V ~ 127V / 50, 60Hz	
Dimension		310mm(W) x 320mm(D) x 710mm(H)	
20FT		40FT	40HQ
357 Units		735 Units	735 Units

HOT & COLD WATER DISPENSER- DESK TOP TYPE



[SO-301H]



[SO-501H]

Features

- Stylish design
- Adjustable thermostat for accurate temperature control
- Noiseless circuit in compact design
- Hybrid side panels (galvanized steel)
- Overheating protection by bimetal sensor
- Function indicating LED lamps
- Childproof hot water faucet device
- UVC LED and Hydrogen generator (optional)

MODEL		SO-301H	SO-501H
Water Supply		3 & 5 Gal. Bottle	
Weight		15 KG	
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.3 Liter	
Heating System	Rated Watts	450 Watts	
	Heating	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	2 Liter	
Color		Light Gray / White	
Faucet		Press / Push / Safety type	
Power Supply		100, 110 ~ 220V / 50, 60Hz	
Dimension		310mm(W) x 320mm(D) x 565mm(H)	310mm(W) x 320mm(D) x 565mm(H)
SO301H / 20FT = 475 units		SO301H / 40FT = 979 units	SO301H / 40HQ = 980 units
SO501H / 20FT = 475 units		SO501H / 40FT = 979 units	SO501H / 40HQ = 980 units

HOT & COLD WATER DISPENSER- DESK TOP TYPE



[SO-1000H]



[SO-1100H]

Features

- UVC LED and Hydrogen generator (optional)
- Low noise with high performance compressor
- Economic by using high performance compressor with low noise
- Using overheating protection ceramic bimetal
- Keeping same level of hot water temperature by using overheating protection ceramic bimetal
- Non spill system
- Added convenience by adopting non-spill system to protect water falls when replacing used water bottle to new one with bottle in

MODEL		SO-1000H	SO-1100H
Water Supply		3 & 5 Gal. Bottle	
Weight		15 KG	
Cooling System	Rated Watts	80 Watts	
	Cooling By	Noiseless Compressor (LG)	
	Temperature Control	By Thermostat	
	Tank	3.3 Liter	
Heating System	Rated Watts	450 Watts	
	Heating	Sheathed Heater	
	Temperature Control	By Automatic Bimetal + Manual Bimetal	
	Tank	1.2 Liter	
Color		Light Gray / White	
Faucet		Press / Push / Safety type	
Power Supply		100, 110 ~ 220V / 50, 60Hz	
Dimension		310mm(W) x 335mm(D) x 510mm(H)	310mm(W) x 335mm(D) x 510mm(H)
SO1000H / 20FT = 464 units		SO1000H / 40FT = 948 units	SO1000H / 40HQ = 948 units
SO1100H / 20FT = 464 units		SO1100H / 40FT = 948 units	SO1100H / 40HQ = 948 units

HOT & COLD WATER DISPENSER- DESK TOP TYPE



[SO-1200H Black]



[SO-1200H Pink]

Features

- Upgraded 'ONE TOUCH OPEN' type upper for easy cleaning
- Separate and confined space only for air filter
- UVC LED and Hydrogen generator (optional)
- Adjustable thermostat for accurate temperature control
- Overheating protection by bimetal sensor
- Environmental refrigerant gas (R-134a) used
- Material of all tanks : Stainless Steel
- Noiseless high performance compressor made in Korea

MODEL		SO-1200H
Water Supply		3 & 5 Gal. Bottle
Weight		18 KG
Cooling System	Rated Watts	80 Watts
	Cooling By	Noiseless Compressor (LG)
	Temperature Control	By Thermostat
	Tank	3.3 Liter
Heating System	Rated Watts	450 Watts
	Heating	Sheathed Heater
	Temperature Control	By Automatic Bimetal + Manual Bimetal
	Tank	2 Liter
Color		Black / Pink
Faucet		Press / Push / Safety type
Power Supply		100, 110 ~ 220V / 50, 60Hz
Dimension		310mm(W) x 315mm(D) x 500mm(H)
20FT		40FT
476 units		980 units
		40HQ
		980 units

HOT & COLD WATER DISPENSER- DESK TOP TYPE



[SO-1100HS]

Features

- Stainless tank for hot and cold
- Overheating protection by bimetal
- Environment friendly refrigerant (R-134a)
- UVC LED and Hydrogen generator (optional)
- Overheating protection by bimetal sensor
- Noiseless high performance compressor made in Korea

MODEL		SO-1100HS
Water Supply		3 & 5 Gal. Bottle
Weight		15 KG
Cooling System	Rated Watts	80 Watts
	Cooling By	Noiseless Compressor (LG)
	Temperature Control	By Thermostat
	Tank	3.3 Liter
Heating System	Rated Watts	450 Watts
	Heating	Sheathed Heater
	Temperature Control	By Automatic Bimetal + Manual Bimetal
	Tank	1.2 Liter
Color		Black / Pink
Faucet		Press / Push / Safety type
Power Supply		100, 110 ~ 220V / 50, 60Hz
Dimension		310mm(W) x 335mm(D) x 510mm(H)
20FT		40FT
464 units		948 units
		40HQ
		948 units



WHAT WE MAKE?

- PRODUCT LINE

**HOT & COLD
WATER PURIFIERS**

HOT & COLD WATER PURIFIER - FLOOR STANDING TYPE

NEW!



[CP-930]

Features

- Slim and Fancy image to enhance and add style to any offices and home
- UVC LED and Hydrogen generator (optional)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Air filter that protects water from contaminated air circulation
- Simple and Stylish LED display
- Convenient foot adjuster
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	CP-930	
Filtration Method	UF system	RO system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF membrane filter	RO membrane filter
	Post-carbon	Post-carbon
Weight	23kg	27kg
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	3 Liter	
Cooling Tank	3.3 Liter	
Water Storage Tank	8.6 Liter	
Faucet Type	Push / Safety type	
Dimension	260mm(W) x 450mm(D) x 1110mm(H)	
20FT	40FT	40HQ
192 units	396 units	396 units

HOT & COLD WATER PURIFIER - FLOOR STANDING TYPE

NEW!



[CP-910]

Features

- Slim and Fancy image to enhance and add style to any offices and home
- UVC LED and Hydrogen generator (optional)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Air filter that protects water from contaminated air circulation
- Simple and Stylish LED display
- Convenient foot adjuster
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	CP-910	
Filtration Method	UF system	RO system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF membrane filter	RO membrane filter
	Post-carbon	Post-carbon
Weight	23kg	27kg
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating System	3 Liter	
Cooling System	3.3 Liter	
Water Storage Tank	8.6 Liter	
Faucet Type	Push / Safety type	
Dimension	260mm(W) x 450mm(D) x 1110mm(H)	
20FT	40FT	40HQ
192 units	396 units	396 units

HOT & COLD WATER PURIFIER - FLOOR STANDING TYPE



[CP-900]

Features

- Slim and Fancy image to enhance and add style to any offices and home
- UVC LED and Hydrogen generator (optional)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Air filter that protects water from contaminated air circulation
- Simple and Stylish LED display
- Convenient foot adjuster
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	CP-900	
Filtration Method	UF system	RO system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF membrane filter	RO membrane filter
	Post-carbon	Post-carbon
Weight	23kg	27kg
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	3 Liter	
Cooling Tank	3.3 Liter	
Water Storage Tank	8.6 Liter	
Faucet Type	Push / Safety type	
Dimension	260mm(W) x 450mm(D) x 1110mm(H)	
20FT	40FT	40HQ
192 units	396 units	396 units

HOT & COLD WATER PURIFIER - DESK TOP TYPE



[CP-910H]

Features

- Slim and Fancy image to enhance and add style to any offices and home
- UVC LED and Hydrogen generator (optional)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Air filter that protects water from contaminated air circulation
- Simple and Stylish LED display
- Convenient foot adjuster
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	CP-910H	
Filtration Method	UF system	RO system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF membrane filter	RO membrane filter
	Post-carbon	Post-carbon
Weight	18kg	23kg
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	1.9 Liter	Normal water – 1.9 Liter & Cold – 3.3 Liter Hot – 1.9 Liter & Normal water – 3.3 Liter
Cooling Tank	3.3 Liter	
Faucet Type	Push / Safety type	
Dimension	260mm(W) x 450mm(D) x 550mm(H)	
20FT	40FT	40HQ
288 units	594 units	792 units

HOT & COLD WATER PURIFIER - DESK TOP TYPE



[CP-900H]

Features

- Slim and Fancy image to enhance and add style to any offices and home
- UVC LED and Hydrogen generator (optional)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Air filter that protects water from contaminated air circulation
- Simple and Stylish LED display
- Convenient foot adjuster
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	CP-910H	
Filtration Method	UF system	RO system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF membrane filter	RO membrane filter
	Post-carbon	Post-carbon
Weight	18kg	23kg
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	1.9 Liter	Normal water – 1.9 Liter & Cold – 3.3 Liter Hot – 1.9 Liter & Normal water – 3.3 Liter
Cooling Tank	3.3 Liter	
Faucet Type	Push / Safety type	
Dimension	260mm(W) x 450mm(D) x 550mm(H)	
20FT	40FT	40HQ
288 units	594 units	792 units

HOT & COLD WATER PURIFIER- FLOOR STANDING TYPE



[CP-2200]



[CP-2200S]

Features

- Antibiosis water storage tank prevents infection from bacteria
- Automatic water overflowing controller (Optional)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Air filter that protects water from contaminated air circulation
- Simple and Stylish LED display
- Convenient foot adjuster
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	CP-2200	CP-2200S
Filtration Method	UF system / RO system	UF system / RO system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF / RO membrane filter	UF / RO membrane filter
	Post-carbon	Post-carbon
Weight	30kg	32kg
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	3 Liter	
Cooling Tank	3.3 Liter	
Water Storage tank	8 Liter	
Faucet Type	Press / Push / Safety type	
Dimension	360mm(W) x 380mm(D) x 1150mm(H)	
20FT	40FT	40HQ
167 units	359 units	360 units

HOT & COLD WATER PURIFIER - FLOOR STANDING TYPE



[SO-102]



[SO-302]

Features

- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Simple and Stylish LED display
- Stylish design
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	SO-102 / SO-302		
Filtration Method	UF system		
Filters	Sediment		
	Pre-carbon		
	UF membrane filter		
	Post-carbon		
Weight	SO-102 : 23kg / SO-302 : 23kg		
Rated Voltage	100, 110 ~ 220V / 50, 60Hz		
Heating Tank	2 Liter		
Cooling Tank	3.3 Liter		
Faucet Type	Press / Push / Safety type		
Dimension	SO-102 : 340mm(W) x 330mm(D) x 1000mm(H)		
	SO-302 : 310mm(W) x 320mm(D) x 960mm(H)		
SO102 / 20 FT = 192 units		SO102 / 40 FT = 396 units	SO102 / 40HQ = 396 units
SO302 / 20 FT = 238 units		SO302 / 40 FT = 490 units	SO302 / 20 FT = 490 units

HOT & COLD WATER PURIFIER - FLOOR STANDING TYPE



[SO-502]



[SO-702]

Features

- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Simple and Stylish LED display
- Stylish design
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	SO-502	SO-702
Filtration Method	UF system	UF system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF / RO membrane filter	UF / RO membrane filter
	Post-carbon	Post-carbon
Weight	21kg	25kg
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	2 Liter	2 Liter
Cooling Tank	3.3 Liter	1.5 liter
Water Storage Tank	None	6.5 Liter
Faucet Type	Press / Push / Safety type	
Dimension	310mm(W) x 320mm(D) x 960mm(H)	340mm(W) x 330mm(D) x 1000mm(H)
SO502 / 20FT = 238 units	SO502 / 40FT = 490 units	SO502 / 40HQ = 490 units
SO702 / 20FT = 192 units	SO702 / 40FT = 396 units	SO702 / 40HQ = 396 units

HOT & COLD WATER PURIFIER - FLOOR STANDING TYPE



[SO-103]



[SO-303]

Features

- Enlarged water storage tank (7.2 liter & 8.6 liter)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Simple and Stylish LED display
- Stylish design
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	SO-103 / SO-303		
Filtration Method	UF system		
Filters	Sediment		
	Pre-carbon		
	UF membrane filter		
	Post-carbon		
Weight	SO-102 : 25kg / SO-302 : 25kg		
Rated Voltage	100, 110 ~ 220V / 50, 60Hz		
Heating Tank	2 Liter		
Cooling Tank	3.3 Liter		
Storage Tank	8.6 Liter		
Faucet Type	Press / Push / Safety type		
Dimension	SO-103 : 340mm(W) x 330mm(D) x 1000mm(H)		
	SO-303 : 310mm(W) x 320mm(D) x 1060mm(H)		
SO102 / 20 FT = 192 units		SO102 / 40 FT = 396 units	SO102 / 40HQ = 396 units
SO302 / 20 FT = 238 units		SO302 / 40 FT = 490 units	SO302 / 20 FT = 490 units

HOT & COLD WATER PURIFIER - FLOOR STANDING TYPE



[SO-503]

Features

- Enlarged water storage tank (7.2 liter)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Simple and Stylish LED display
- Stylish design
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	SO-503		
Filtration Method	UF system		
Filters	Sediment		
	Pre-carbon		
	UF membrane filter		
	Post-carbon		
Weight	SO-503 : 25 Kg		
Rated Voltage	100, 110 ~ 220V / 50, 60Hz		
Heating Tank	2 Liter		
Cooling Tank	3.3 Liter		
Storage Tank	8.6 Liter		
Faucet Type	Press / Push / Safety type		
Dimension	SO-503 : 310mm(W) x 320mm(D) x 1060mm(H)		
20FT	40FT	40HQ	
238 units	490 units	490 units	

HOT & COLD WATER PURIFIER- DESK TOP TYPE



[CP-230H]



[CP-230HP]

Features

- All stainless steel reservoir
- Automatic water overflowing controller (Optional)
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Air filter that protects water from contaminated air circulation
- Simple and Stylish LED display
- Convenient foot adjuster
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	SO-230H	SO-230HP
Filtration Method	UF system	UF system
Filters	Sediment	Sediment
	Pre-carbon	Pre-carbon
	UF / RO membrane filter	UF / RO membrane filter
	Post-carbon	Post-carbon
Weight	16kg	
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	1.9 Liter	Normal water – 1.9 Liter & Cold – 3.3 Liter Hot – 1.9 Liter & Normal water – 3.3 Liter
Cooling Tank	3.3 Liter	
Faucet Type	Press / Push / Safety type	
Dimension	360mm(W) x 380mm(D) x 510mm(H)	
20FT	40FT	40HQ
335 units	696 units	869 units

HOT & COLD WATER PURIFIER- DESK TOP TYPE



[SO-302H]



[SO-303H]

Features

- Elegant counter top design
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Simple and Stylish LED display
- Stylish design
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	SO-302H	SO-303H
Filtration Method	UF system	
Filters	Sediment	
	Pre-carbon	
	UF membrane filter	
	Post-carbon	
Weight	SO-302H : 18kg / SO-303H : 22kg	
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	2 Liter	
Cooling Tank	3.3 Liter	
Storage Tank	NONE	8.6 Liter
Faucet Type	Press / Push / Safety type	
Dimension	310mm(W) x 320mm(D) x 565mm(H)	310mm(W) x 320mm(D) x 660mm(H)
SO302H / 20 FT = 475 units	SO102 / 40 FT = 979 units	SO102 / 40HQ = 1224 units
SO303H / 20 FT = 357 units	SO302 / 40 FT = 735 units	SO302 / 20 FT = 980 units

HOT & COLD WATER PURIFIER- DESK TOP TYPE



[SO-502H]



[SO-503H]

Features

- Elegant counter top design
- Auto overheating controller
- Adjustable thermostat that controls accurate temperature
- Noiseless circuit in compressor
- UV sterilization device that kills bacteria remains in water (Optional)
- Variety of filtration methods are applicable
- Simple and Stylish LED display
- Stylish design
- Hybrid coated steels repel rust
- Childproof hot water faucet device

MODEL	SO-502H	SO-503H
Filtration Method	UF system	
Filters	Sediment	
	Pre-carbon	
	UF membrane filter	
	Post-carbon	
Weight	SO-502H : 18kg / SO-503H : 22kg	
Rated Voltage	100, 110 ~ 220V / 50, 60Hz	
Heating Tank	2 Liter	
Cooling Tank	3.3 Liter	
Storage Tank	NONE	8.6 Liter
Faucet Type	Press / Push / Safety type	
Dimension	310mm(W) x 320mm(D) x 565mm(H)	310mm(W) x 320mm(D) x 660mm(H)
SO302H / 20 FT = 475 units	SO102 / 40 FT = 979 units	SO102 / 40HQ = 1224 units
SO303H / 20 FT = 357 units	SO302 / 40 FT = 735 units	SO302 / 20 FT = 980 units

A high-speed photograph of a water splash against a light blue background. The water is captured in mid-air, forming a complex, branching shape with several droplets and a central column. The text 'AUTO WET TOWEL DISPENSER' is overlaid in a bold, orange, sans-serif font across the middle of the image.

AUTO WET TOWEL DISPENSER

SEONE'S DEVELOPED DEVICE

Uniquely developed our towel dispenser has its special features;
The combination of separate and independent part structures for easy maintenance.
Anti-scales all stainless steel water tank which prevents blockage of nozzle and state of the art heating system.
These will bring you the perfect satisfaction!

SOT-2000H



SOT-2001H



FEATURES

- Advanced technological blade and transferring towel system repel clogging towel.
- Improved conveyor system prevents towel from jamming and keep towel rolling in good conditions.
- Adjustable length of towel 200mm to 350mm through digital display.
- Handy temperature adjustment function from 60°C to 90°C
- Water tank made by stainless steel prevents blockage caused by scales.
- Filter inside the machine which enables water to keep sanitized.
- Water container structured and designed for antibiosis.
- Adjustable moisture of towel.
- Maximum 250 rolled towels available (250mm per towel) at one loading
- Water container that holds 2.4 liter water can produce 250 pieces of wet towel without further refill.
- Power cutting capacity from 50g to 100g
- Safety controllers for front panel open alarm.
- Cutter and blade overload controller
- Overheating controller
- Coin vending functional (optional)


SPECIFICATION

MODEL	SOT-2000H
WATER TANK CAPACITY	2.8L
TEMP CONTROL	BIMETAL
HOT WATER TANK	1.4 L / STAINLESS STEEL
RATED WATTS	350W
WEIGHT	13kg
DIMENSIONS(mm)	300(W) x 430(D) x 500(H)
POWER SUPPLY	100,110/220V , 50/60Hz, 1PH
COLOR	White / Grey
FULL CONTAINER LOAD	20'FT (336 Units) / 40'FT (700 Units)

WHERE TO USE?

Restaurants, Sports Facilities, Casino, Cosmetic Clinics, Hospitals, Dental Practices, Beauty Salons, Barber Shop ect.
Any place to freshen up your hands and skin.

PARTS DESCRIPTION



CERFITICATE



[UL]




[CE (EMC)]




[CE (LVD)]



[WQA MEMBERSHIP
CERTIFICATE]



[ABWA
MEMBERSHIP]



[KETI
APPROVAL]



[KETI
APPROVAL]

PATENT



[PRODUCT
PATENT]




[PRODUCT
PATENT]



[PRODUCT
PATENT]



[TAIWNA
PATENT]



[U.S.A
PATENT]



[VIETNAM
PATENT]



[JAPAN
PATENT]

The World-class Water Dispensers , Water Purifiers & Auto wet Towel dispensers !

A dynamic blue water splash with many bubbles, creating a sense of movement and freshness, serves as the background for the lower half of the slide.

THANK YOU

SEONE CO., LTD.

6, Yonggok-ro 123beon-gil, Yangji-myeon, Cheoin-gu, Yongin-si,
Gyeonggi-do 17161 Republic of Korea

Tel: +82.31.338.0600 Fax: +82.31.338.0605

Contact E-mail: seone@seone.com

Web-site: www.seone.com